



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/451,256	11/29/1999	STEVEN R. HOLLASCH	MSI-448US	8802

22801 7590 06/17/2003

LEE & HAYES PLLC  
421 W RIVERSIDE AVENUE SUITE 500  
SPOKANE, WA 99201

EXAMINER

AMINI, JAVID A

ART UNIT

PAPER NUMBER

2672

DATE MAILED: 06/17/2003

J

Please find below and/or attached an Office communication concerning this application or proceeding.

20

**Office Action Summary**

Application No.

09/451,256

Applicant(s)

HOLLASCH, STEVEN R. *JS*

Examiner

Javid A Amini

Art Unit

2672

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☐ Claim(s) \_\_\_\_ is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 43-49 is/are allowed.
- 6) ☒ Claim(s) 1-23,27-30,34-39 and 50-56 is/are rejected.
- 7) ☒ Claim(s) 24-26,31-33 and 40 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_.

*Response to Amendment*

1. The amendment filed on April 10, 2003 under 37 CFR 1.131 has been considered but is ineffective to overcome the Laferriere reference.
2. Response to remarks on page 21, regarding claim 1:
  - a. Applicant disagrees that the reference (Laferriere) discloses the act of “defining a reference object relative to the represented object”.
  - b. Examiner’s reply: The interpretation is as follows: it can be considered as a similar imitation of an object regarding its position, shape, line/point, color, size or texture map and etc. Therefore the reference that Laferriere discloses considers the parameters mentioned above.
3. Response to remarks on page 22, regarding claim 1:
  - c. Applicant disagrees that the reference (Laferriere) discloses the act of “determining the positions of the shapes relative to the reference objects using the characteristic data”.
  - d. Examiner’s reply: The invention is constructing the object using the data that are available from the reference object. Laferriere discloses in (col. 3, lines 18-21), therefore the step is inherent in Laferriere in respect to applicant’s claim language.
4. Response to remarks on page 23:
  - e. Examiner’s reply: Claims 1-15 are maintained the previous rejection.
5. Response to remarks on page 24, regarding claim 16:

- f. Applicant states in second para. that the reference does not teach, “which of a number of shapes are intersected by a ray”. And also Applicant states that Laferriere does not define a reference object.
  - g. Examiner’s reply: in contrast, Laferriere illustrates in Fig. 11. Each polygon contains vertices, and combination of vertices builds a shape that is intersected by a ray. Refer to argument (examiner’s interpretation) of claim 1 on this page.
- 6. Response to remarks on page 25 first paragraph:
  - h. Applicant states that the Laferriere does not “pre-characterize at least some vertices of at least some of the polygons to provide characteristic data .....”.
  - i. Examiner’s reply: It is not clear what applicant means by “at least some vertices”, Laferriere illustrates in Fig. 10b steps 532, 536 and 540. Laferriere illustrates in Fig. 9 step 408 the number of points of interest (meaning defined and determined the positions of the individual polygons). Therefore the claim 16-23 are maintained the previous rejection.
- 7. Response to remarks on pages 25-26 regarding claim 27:
  - j. Applicant states in last paragraph on page 25 that the reference does not appear to apply those teaching to the subject matter of applicant’s claim.
  - k. Examiner’s reply: In contrast, Laferriere teaches the applicant’s claim language, refer to Figs. 3-4 and Fig. 6, a plurality of triangles that approximate an object with having three vertices are considered. However, as will be apparent to those of skill in the art, Laferriere discloses in (col. 2, lines 13-18) that the invention is not limited to use with

Art Unit: 2672

meshes of triangular polygons (plurality of triangles) and can be employed with polygons with more sides if desired. Claims 27-30 and 34-36 are maintained the previous rejection.

l. Applicant states regarding claim 37, that Laferriere does not teach the limitation of this claim.

m. Examiner's reply: Laferriere teaches by rendering the polygons to obtain a reasonable approximation of the object, refer to Figs. 3-4 and Fig. 6. Claims 37-39 and 41-42 are maintained the previous rejection.

8. Response to remarks on page 28, regarding claim 50:

n. Applicant discloses that the reference Laferriere does not disclose or suggest (a system that embodies software code that implements array-intersection algorithm .....).

o. Examiner's reply: In contrast, Laferriere discloses in (col. 6, lines 53-60) that the area of the intersection is determined using the algorithm described by Jon Rokne, on pages 5 and 6 of Section 1.1 of "Graphics Gems II", by James Avro, 1991, published by Academic Press, Inc, San Diego, Calif.

p. Claims 50-56 are maintained previous rejection.

9. Response to remarks on page 29 regarding claims 23, 34: The claims 23 and 34 acknowledged that "the method of claim 16, wherein none of said polygons share a vertex", but in the specification on page 10 lines 10 sets forth as follows: Other collections can be defined where none of the triangles share a vertex. Therefore the claims languages are not following the specification languages.

10. Response to remarks on page 30 regarding claims 41-42:

Art Unit: 2672

q. Applicant states in preamble of independent claim 37 “ a computer graphic processing system ..” and discloses in dependent claim 41 “one or more computer-readable media” and in dependent claim 42 discloses “a programmable computer”.

Applicant should be able to clarify the following information: 1- is “a computer graphic processing system” just for graphic processing and not for non-graphic processing? 2- how many “one or more computer-readable media” should be considered in this invention? 3- what does “a programmable computer” do that the others “a computer graphic processing system” and “one or more computer-readable media” cannot process?

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claim 1-9, 12-14, 16-20, 27-30, 35, 37, 50-54 and 56 rejected under 35 U.S.C. 102(e) as being anticipated by Laferriere, patent US 6,226,005 B1.

1. As per claim 1, “defining a reference object relative to the represented object”, Laferriere teaches in (col. 3, lines 13-16) that the reference object of, area of and weight of the intersection between each pixel in texture map and each polygon mesh, the weight corresponding to the proportion of said area of intersection relative to the total area of said pixel.

Art Unit: 2672

As for “determining the positions of the shapes relative to the reference objects using the characteristic data”, Laferriere teaches in (col3, lines 18-21) for each determined area of intersection, determining the product of illumination information at determined location of intersection and the weight of area of intersection.

As for “determining, on the basis of the positions of the shapes relative to the reference object, those shapes that have no chance of intersecting the ray, and those remaining shapes that may intersect the ray”, Laferriere illustrates in Figs. 5a-5m schematic representations of the categories of intersection which can occur between a triangular polygon in a tessellated polygon mesh and a square texture pixel.

2. As per claim 2, “The method of claim 1 further comprising using a predetermined algorithm to determine which one of those remaining shapes intersects the ray”, Laferriere teaches in (col. 6, lines 53-60) that the area of the intersection is determined using the algorithm described by Jon Rokne, on pages 5 and 6 of Section 1.1 of "Graphics Gems II", by James Avro, 1991, published by Academic Press, Inc, San Diego, Calif., the contents of which are incorporated herein by reference, and which only requires the coordinates of vertices of a polygon to be known in order to calculate the area of that polygon.

3. Claims 3-4, “The method of claim 1, wherein the collection of shapes comprises at least one or plurality of polygonal shape/s”, Laferriere teaches in (col. 2, lines 13-17) that the invention is not limited to use with meshes of triangular polygons and can be employed with polygons with more sides if desired.

Art Unit: 2672

4. Claims 5 and 6, “wherein the collection of shapes comprises at least one or plurality triangle/s”, Laferriere teaches in (col. 2, lines 13-17) that the invention is not limited to use with meshes of triangular polygons and can be employed with polygons with more sides if desired.

5. Claims 7-9, “The method of claim 1, wherein the collection of shapes comprises a triangle mesh/strip/fan”, Laferriere teaches triangle mesh in (col. 2, lines 4-8) and illustrates the triangle strip in Figs. 5, the next step triangle fan is obvious in triangle mesh.

6. Claims 12, 13, and 14 “The method of claim 1, wherein said determining the positions of the shapes comprises determining positional aspects of sub-components of individual ones of the shapes to provide the characteristic data”, “The method of claim 12, wherein the individual shapes comprise polygons and the sub-components comprise vertices that define the polygons, said determining the positions of the shapes comprising computing the positions of the vertices relative to the reference object”; “the reference object comprises a plane”; Laferriere teaches in (col. 7-8, Lines 64-67;1-12) If non-triangular polygons are employed as the tessellation mesh polygons, such as rectangular polygons or the like, any suitable technique for determining position 168 and normal vector 172 can be employed, as will occur to those of skill in the art. For triangular polygons, the center of the area of intersection is first determined by summing the u component of each vertex in the area of intersection and dividing the result by the number of vertices to obtain the u coordinate of the center and by performing a similar process with the v components to obtain the v coordinate of the center. Next the barycentric coordinates are determined for the center of the area of intersection within the polygon, using the uv coordinate center determined above and the uv coordinates of the vertices of the polygon .



Art Unit: 2672

7. As per claim 16, “defining a collection of polygons that approximate an object, individual polygons having a plurality of vertices”, “As for casting a ray toward the approximated object”; “defining a reference object relative to the collection of polygons and that contains the cast ray”, “pre-characterizing at least some vertices of at least some of the polygons to provide characteristic data that describes the vertices position relative to the reference object; and using the characteristic data to ascertain the positions of the individual polygons relative to the reference object.”, Laferriere teaches in (col. 1, lines 66-67; col. 2, lines 1-8) that in systems such as SoftImage.vertline.3D, it is known to reduce the computational complexity of rendering many 3D objects by tessellating 3D objects to obtain a polygon mesh representation of the defined 3D object and rendering the polygons in that mesh to obtain a reasonable approximation of the 3D object. Laferriere teaches in (col. 2, lines 18-20) rendering of objects represented by polygon meshes can be performed by scan line or ray tracing. Laferriere teaches in (col. 3, lines 18-21) determining the location of, area of and weight of the intersection between each pixel in said texture map and each polygon in said polygon mesh, the weight corresponding to the proportion of said area of intersection relative to the total area of said pixel. Laferriere illustrates in Fig. 3 and 4 the result of the projection of texture picture 40 onto tessellated representation 80 of 3D object 60. As an example, the vertices of polygon 108 are at (0.0, 0.5), (0.5, 0.0) and (0.5, 0.5). While in this example texture picture 40 was mapped entirely to object 60, it will be apparent to those of skill in the art that this need not be the case and that texture picture 40 can be cropped, if desired, such that only a rectangular region of interest of texture picture 40 is mapped to object 60. Laferriere teaches in (col. 9, lines 6-13) Once the values in data structures 140, and in their

Art Unit: 2672

respective nodes 164, have been determined, the points of interest are rendered. Specifically, the scene definition is examined to determine the number of lights and their positions.

8. As per claim 17, “wherein the collection of polygons approximate the surface of the object”, Laferriere teaches in (col. 1, lines 66-67; col. 2, lines 1-8) that in systems such as SoftImage.vertline.3D, it is known to reduce the computational complexity of rendering many 3D objects by tessellating 3D objects to obtain a polygon mesh representation of the defined 3D object and rendering the polygons in that mesh to obtain a reasonable approximation of the 3D object.

9. Claims 18 and 19, as for “wherein the individual polygons have a similar geometry; and wherein the individual polygons comprise triangles”, Laferriere teaches in Fig. 3 and 4 the polygons comprise triangles and they have a similar geometry.

10. As per claim 20, “wherein the collection of polygons has a plurality of faces and a plurality of vertices, said faces outnumbering said vertices”, Laferriere teaches in Fig. 3 and 4 the polygon has a plurality of faces and a plurality of vertices.

11. Claim 21 and 22, as for “wherein at least two of said polygons share at least one side; at least two of said polygons share is at least one vertex”, Laferriere teaches in Fig. 3 the polygons share at least one side and at least two of said polygons share is at least one vertex.

12. Claim 27, Laferriere teaches in (col. 1, lines 66-67; col. 2, lines 1-8) that in systems such as SoftImage.vertline.3D, it is known to reduce the computational complexity of rendering many 3D objects by tessellating 3D objects to obtain a polygon mesh representation of the defined 3D object and rendering the polygons in that mesh to obtain a reasonable approximation of the 3D object. Laferriere teaches in (col. 2, lines 18-20) rendering of objects represented by polygon

Art Unit: 2672

meshes can be performed by scan line or ray tracing. Laferriere teaches in (col. 3, lines 18-21) determining the location of, area of and weight of the intersection between each pixel in said texture map and each polygon in said polygon mesh, the weight corresponding to the proportion of said area of intersection relative to the total area of said pixel. Laferriere illustrates in Fig. 3 and 4 the result of the projection of texture picture 40 onto tessellated representation 80 of 3D object 60. As an example, the vertices of polygon 108 are at (0.0, 0.5), (0.5, 0.0) and (0.5, 0.5). While in this example texture picture 40 was mapped entirely to object 60, it will be apparent to those of skill in the art that this need not be the case and that texture picture 40 can be cropped, if desired, such that only a rectangular region of interest of texture picture 40 is mapped to object 60. Laferriere teaches in (col. 9, lines 6-13) Once the values in data structures 140, and in their respective nodes 164, have been determined, the points of interest are rendered. Specifically, the scene definition is examined to determine the number of lights and their positions.

13. Claim 28, Laferriere teaches in abstract that the invention is used to determine the illumination values for one or more objects represented by a polygon (triangle) mesh.

14. Claims 29-30, Laferriere teaches triangle mesh in (col. 2, lines 4-8) and illustrates the triangle strip in Figs. 5, the next step triangle fan is obvious in triangle mesh.

15. Claim 35, Laferriere teaches in Fig. 3 the polygons share at least one side and at least two of said polygons share is at least one vertex.

16. As per claim 37, “defining a sub-set of polygons from a collection of polygons that approximate an object by determining which polygons have vertices that satisfy a predefined relationship relative to a reference object; and evaluating the sub-set of polygons to ascertain which of the polygons is intersected by a cast ray”, Laferriere teaches in (col. 1, lines 66-67; col.

2, lines 1-8) that in systems such as SoftImage.vertline.3D, it is known to reduce the computational complexity of rendering many 3D objects by tessellating 3D objects to obtain a polygon mesh representation of the defined 3D object and rendering the polygons in that mesh to obtain a reasonable approximation of the 3D object. Laferriere teaches in (col. 2, lines 18-20) rendering of objects represented by polygon meshes can be performed by scan line or ray tracing. Laferriere teaches in (col. 3, lines 18-21) determining the location of, area of and weight of the intersection between each pixel in said texture map and each polygon in said polygon mesh, the weight corresponding to the proportion of said area of intersection relative to the total area of said pixel. Laferriere illustrates in Fig. 3 and 4 the result of the projection of texture picture 40 onto tessellated representation 80 of 3D object 60. As an example, the vertices of polygon 108 are at (0.0, 0.5), (0.5, 0.0) and (0.5, 0.5). While in this example texture picture 40 was mapped entirely to object 60, it will be apparent to those of skill in the art that this need not be the case and that texture picture 40 can be cropped, if desired, such that only a rectangular region of interest of texture picture 40 is mapped to object 60. Laferriere teaches in (col. 9, lines 6-13) Once the values in data structures 140, and in their respective nodes 164, have been determined, the points of interest are rendered. Specifically, the scene definition is examined to determine the number of lights and their positions.

17. As per claim 50, "A computer graphic processing system comprising: a processor; memory; and software code stored in the memory that causes the processor to implement a ray-intersection algorithm which: casts a ray at a collection of shapes that approximate an object; defines a reference object that contains the ray; pre-characterizes aspects of individual ones of the shapes of the collection to provide characteristic data; and uses the characteristic data to

Art Unit: 2672

ascertain the position of the shapes of the collection of shapes relative to the reference object.”, Laferriere teaches in (col. 1, lines 66-67; col. 2, lines 1-8) that in systems such as SoftImage.vertline.3D, it is known to reduce the computational complexity of rendering many 3D objects by tessellating 3D objects to obtain a polygon mesh representation of the defined 3D object and rendering the polygons in that mesh to obtain a reasonable approximation of the 3D object. Laferriere teaches in (col. 2, lines 18-20) rendering of objects represented by polygon meshes can be performed by scan line or ray tracing. Laferriere teaches in (col. 3, lines 18-21) determining the location of, area of and weight of the intersection between each pixel in said texture map and each polygon in said polygon mesh, the weight corresponding to the proportion of said area of intersection relative to the total area of said pixel. Laferriere illustrates in Fig. 3 and 4 the result of the projection of texture picture 40 onto tessellated representation 80 of 3D object 60. As an example, the vertices of polygon 108 are at (0.0, 0.5), (0.5, 0.0) and (0.5, 0.5). While in this example texture picture 40 was mapped entirely to object 60, it will be apparent to those of skill in the art that this need not be the case and that texture picture 40 can be cropped, if desired, such that only a rectangular region of interest of texture picture 40 is mapped to object 60. Laferriere teaches in (col. 9, lines 6-13) Once the values in data structures 140, and in their respective nodes 164, have been determined, the points of interest are rendered. Specifically, the scene definition is examined to determine the number of lights and their positions.

18. Claims 51, 52 and 53, Laferriere illustrates in Fig. 3 and 4 a collection of polygons, which have similar geometries. Laferriere teaches triangle mesh in (col. 2, lines 4-8) and illustrates the triangle strip in Figs. 5.

Art Unit: 2672

19. Claim 54, Laferriere teaches in (col. 6, lines 53-60) that the area of the intersection is determined using the algorithm described by Jon Rokne, on pages 5 and 6 of Section 1.1 of "Graphics Gems II", by James Avro, 1991, published by Academic Press, Inc, San Diego, Calif., the contents of which are incorporated herein by reference, and which only requires the coordinates of vertices of a polygon to be known in order to calculate the area of that polygon.
20. Claim 56, Laferriere illustrates in Figs. 3 and 4 the shapes of polygons and vertices of the polygons.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 10-11, 15, 36, 38-39 and 55 rejected under 35 U.S.C. 103(a) as being unpatentable over Laferriere, and further in view of Jenkins.

21. Claims 10 and 11, "wherein said reference object comprises at least one or plurality of planes each of which contain the ray", Laferriere does not explicitly specify plane or planes, but Jenkins illustrates in Fig. 6 and 8A plurality of planes. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Jenkins into Laferriere because this performance can be improved by employing pre-computed visibility sets which are lists of primitives that are potentially visible from specific regions of a 3-D database (col. 4, lines 15-20).

Art Unit: 2672

22. Claim 15, "the plane is parallel to one of the to x, y, and z axes", Laferriere dose not explicitly specifying a plane to be parallel to one of the x, y, or z axes. But Jenkins illustrates in Figs. 10 and 44 that a plane is parallel to one of x, y and z axes. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Jenkins into Laferriere, in order to process the scene definition faster or to process a more complex scene in a given time.

23. Claim 36, Laferriere dose not explicitly specifying a plane to be parallel to one of the x, y, or z axes. But Jenkins illustrates in Figs. 10 and 44 that a plane is parallel to one of x, y and z axes. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Jenkins into Laferriere, in order to process the scene definition faster or to process a more complex scene in a given time.

24. Claims 38-39, Laferriere dose not explicitly specifying plane or planes, but Jenkins illustrates in Fig. 6 and 8A plurality of planes. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Jenkins into Laferriere because this performance can be improved by employing pre-computed visibility sets which are lists of primitives that are potentially visible from specific regions of a 3-D database (col. 4, lines 15-20).

25. Claim 55, Laferriere dose not explicitly specifying plane or planes, but Jenkins illustrates in Fig. 6 and 8A plurality of planes. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Jenkins into Laferriere because this performance can be improved by employing pre-computed visibility sets which are

Art Unit: 2672

lists of primitives that are potentially visible from specific regions of a 3-D database (col. 4, lines 15-20).

*Allowable Subject Matter*

26. Claims 24-26, 31-33, 40 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

*Claim Rejections - 35 USC § 112*

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 23, 34, and 41-42 rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

- Claims 23 and 34 recites the limitation " wherein none of said polygons share a vertex", in 23 and 34. There is insufficient antecedent basis for this limitation in the claim. However in the specification on page 10 lines 10 sets forth as follows: Other collections can be defined where none of the triangles share a vertex. Therefore the claims languages are not following the specification languages.
- Claim 41-42 recites the limitation " a computer graphic processing system .." and discloses in dependent claim 41 "one or more computer-readable media" and in dependent claim 42 discloses "a programmable computer". There is insufficient antecedent basis for this limitation in the claim. Applicant should be able to clarify the following information:



1- is "a computer graphic processing system" just for graphic processing and not for non-graphic processing?

2- how many "one or more computer-readable media" should be considered in this invention?

3- what does "a programmable computer" do that the others "a computer graphic processing system" and "one or more computer-readable media" cannot process?

27. Claims 43-49 allowed.

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Javid A Amini whose telephone number is 703-605-4248. The examiner can normally be reached on 8-5pm.


Art Unit: 2672

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Razavi can be reached on 703-305-4713. The fax phone numbers for the organization where this application or proceeding is assigned are 703-746-8705 for regular communications and 703-746-8705 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-306-0377.

Javid Amini

June 12, 2003



**MICHAEL RAZAVI**  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600